

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	49	(US-20050025405-\$ or US-20020007549-\$).did. or (US-3546504-\$ or US-4015154-\$ or US-4635283-\$ or US-4658414-\$ or US-4964148-\$ or US-5218252-\$ or US-5265147-\$ or US-5291538-\$ or US-5315200-\$ or US-5345492-\$ or US-5521447-\$ or US-5588035-\$ or US-5774974-\$ or US-5806169-\$ or US-5861691-\$ or US-5986365-\$ or US-6002185-\$ or US-6097124-\$ or US-6118203-\$ or US-6120267-\$ or US-6150747-\$ or US-6160331-\$ or US-6173996-\$ or US-6212753-\$ or US-6280155-\$ or US-6281607-\$). did. or (US-6437464-\$ or US-6455973-\$ or US-6480571-\$ or US-6487273-\$ or US-6628021-\$ or US-6753628-\$ or US-6819742-\$ or US-6844636-\$ or US-6425176-\$ or US-6201321-\$ or US-6744158-\$ or US-4651039-\$ or US-3979822-\$ or US-3766416-\$ or US-3638055-\$ or US-3932928-\$ or US-3821846-\$). did. or (US-3155856-\$ or US-3075250-\$).did. or (JP-07264810-\$ or JP-58051754-\$). did.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2005/11/18 16:40
L3	11	I2 and elast\$5	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/18 16:45
L4	10	I2 and resili\$5	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/18 16:45
L5	6	4 not 3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/18 16:45
L7	75	378/131.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/18 17:29
L8	62	378/201.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/18 17:29
S1	141	378/131	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/17 16:20
S2	13	378/131 and (pressur\$6 compress\$5) with (hous\$5 cover\$4 wind\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 22:46

S3	39	378/131 and (shak\$4 rattl\$4 vibrat\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 20:03
S5	48	378/131 and (shak\$4 rattl\$4 vibrat\$5 reverberat\$4 oscillat\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 20:04
S6	49	378/131 and (shak\$4 rattl\$4 vibrat\$5 reverberat\$4 oscillat\$5 wigg\$4 loosen\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 20:05
S7	3	("5265147").URPN.	USPAT	OR	OFF	2005/06/12 20:26
S8	10	("4187442" "4272696" "4276493" "4393511" "4481655" "4569070" "4573185" "4914684" "4928296" "5461659").pn.	USPAT	OR	OFF	2005/06/12 20:52
S9	54	("1772187"   "2239641"   "2434975"   "2736205"   "3084003"   "3308524"   "3467451"   "3586100"   "3740839"   "3742582"   "3751702"   "3823772"   "3834013"   "3836804"   "3913444"   "3968982"   "4098476"   "4122967"   "4140900"   "4167351"   "4253685"   "4281941"   "4325647"   "4377335"   "4461019"   "4531227"   "4569114"   "4602411"   "4635283"   "4751776"   "4848935"   "4859143"   "4866748"   "4910620"   "4969172"   "5048168"   "5056950"   "5097172"   "5218252"   "5345492"   "5379155"   "5384818"   "5490198"   "5530733"   "5609031"   "5703836"   "5730546").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/12 21:12
S10	270	(29/596 310/43,16-20) and (pressur\$6 compress\$5 resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) with (hous\$5 cover\$4 wind\$5) with stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 22:48
S11	658	("378"/ "131" 29/596 310/43,16-20) and (pressur\$6 compress\$5 resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) with (hous\$5 cover\$4 wind\$5) with stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/18 12:51
S12	482	("378"/ "131" 29/596 310/43,16-20) and (pressur\$6 compress\$5 resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) with (hous\$5 cover\$4 envelop\$4 encapsul\$4 surround\$4) with stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/13 15:01

S13	2	("378"/ "131" 29/596 310/43,16-20) and (pressur\$6 compress\$5 resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) with (hous\$5 cover\$4 envelop\$4 encapsul\$4 surround\$4) with stator and x\$3ray	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 22:50
S14	193	("378"/ "131" 29/596 310/43,16-20) and (pressur\$6 compress\$5 resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) with (hous\$5 cover\$4 envelop\$4 encapsul\$4 surround\$4) with stator and (stator same wind\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 22:55
S15	110	(378/131 29/596 310/43,16-20) and (pressur\$6 compress\$5 resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) with (hous\$5 cover\$4 envelop\$4 encapsul\$4 surround\$4) with stator and (stator same wind\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 23:12
S16	3	("5806169" "5502341" "4492889"). pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/12 23:12
S17	2	("6150747").URPN.	USPAT	OR	OFF	2005/06/12 23:15
S18	5	("378"/ "131" 29/596 310/43,16-20) and (pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting") same (resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) with (hous\$5 cover\$4 envelop\$4 encapsul\$4 surround\$4) same stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/13 15:04
S19	20	("378"/ "131" 29/596 310/43,16-20) and (pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting") same (resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) same stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/13 15:08

S20	12	(378/131 29/596 310/43,16-20) and (pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting") same (resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) same stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/17 13:49
S21	107	(pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting") same (resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) same stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/15 15:19
S22	38	(pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting") same (resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) same stator same (hous\$5 cover\$4 envelop\$4 encapsul\$4 surround\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/13 15:09
S23	12	(pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting") same ((resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) with stator with (hous\$5 cover\$4 envelop\$4 encapsul\$4 surround\$4))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/13 15:10
S24	8	("5218252").URPN.	USPAT	OR	OFF	2005/06/13 15:19
S25	8	("4587722").URPN.	USPAT	OR	OFF	2005/06/13 15:55
S26	32	("1477773"   "1611942"   "2460063"   "2465275"   "2632861"   "3226579"   "3812392"   "4082974"   "4395205"   "4434382"   "4587722"   "4602176"   "4998865"   "5235227"   "5315200"   "5461268"   "5521447"   "5558317"   "5576584"   "5612583"   "5619389"   "5767602"   "5783892"   "5810568"   "5847476"   "5861691").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/13 16:04
S27	2	"3546504".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/13 16:04

S28	13	("3546504").URPN.	USPAT	OR	OFF	2005/06/13 16:13
S29	0	(stator with overmold\$4) and (stator with (pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting"))	USPAT	OR	OFF	2005/06/13 16:14
S30	3	(stator with (over\$3mold\$4 "over mold" "over molded")) and (stator with (pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting"))	USPAT	OR	OFF	2005/06/13 16:15
S31	21	("5694268").URPN.	USPAT	OR	OFF	2005/06/13 16:17
S32	1	"5783888".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/14 17:27
S33	13	("5783888").URPN.	USPAT	OR	OFF	2005/06/14 17:27
S34	7	("3874073"   "4015154"   "4492884"   "4492889"   "4496866"   "5331730"   "5783888").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 18:24
S35	15	("6002185").URPN.	USPAT	OR	OFF	2005/06/14 18:29
S36	49	(x-ray x\$3ray "x ray") and stator with (cushion\$4 compress\$5 elast\$8 vibrat\$6)	USPAT	OR	ON	2005/06/14 18:31
S37	1	("6487273").URPN.	USPAT	OR	OFF	2005/06/14 18:49
S38	18	("3334256"   "4079217"   "4355410"   "4384360"   "4811375"   "4841557"   "4884292"   "4928296"   "5056126"   "5425067"   "5515413"   "5703924"   "5802140"   "5828727"   "6075839"   "6134299"   "6252933").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 18:49
S39	7	"798637"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/15 13:51
S40	0	378/131.ccls. and (o-ring "o ring")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/15 14:06
S41	0	378/131.ccls. and (o-ring "o rings")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/15 14:07
S42	4	378/131 and (o-ring "o rings")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/15 14:07
S43	40	(378/131 29/596 310/43,16-20) and (o-ring "o rings") same stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/15 15:19

S44	5	(378/131 29/596 310/43,16-20) and (o-ring "o rings") same stator same (coating covering encapsul\$4 plastic mold\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/15 15:15
S45	28	(378/131 29/596 310/43,16-20). ccls. and (o-ring "o rings") same stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/15 15:19
S46	10	(pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting") same (resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) same stator and o\$3ring	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/15 15:20
S47	74	378/131.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/15 15:22
S48	136	378/131 and \$4ring	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/15 16:04
S49	123	378/131 and \$2ring	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/15 15:25
S50	141	378/131	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/15 16:04
S51	18	S50 not S49	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/15 16:04
S52	21	(378/131 29/596 310/43,16-20) and ("o ring" o-ring) with stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/17 14:57
S53	0	ho2k\$ and o-ring	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/17 14:57
S54	0	ho2k/\$ and o-ring	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/17 14:57
S55	0	h02k/\$ and o-ring	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/17 14:57
S56	780	h02k\$ and o-ring	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/17 14:58
S57	464	h02k\$ and o-ring and stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/17 14:58

S58	26	378/131 and cool\$5 with liquid\$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/17 15:47
S59	56	378/131 and liquid\$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/17 15:47
S60	30	S59 not S58	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/17 15:47
S61	74	378/131.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/17 16:20
S62	141	378/131	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/17 16:20
S63	49	S61 and S62	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/17 16:20
S64	166	S61 or S62	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/17 16:22
S65	92	S62 not S61	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/17 16:22
S66	25	S61 not S62	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/17 16:22
S67	4	"2293695"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/17 17:07
S68	1	"6437464".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 15:34
S70	693	(378/131,201 29/596 310/43,16-20) and (pressur\$6 compress\$5 resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive sylgard) with stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/18 12:59
S71	544	(378/131,201 29/596 310/43,16-20) and (pressur\$6 compress\$5 resilient elastomer\$4 deform\$4 epoxy\$4silicone silicone sylgard) with stator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/18 12:59
S72	1	("6564443").URPN.	USPAT	OR	OFF	2005/11/18 13:31
S73	6	("3331042"   "3451021"   "3605054"   "5769391").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/18 13:32
S74	10	("6201321").URPN.	USPAT	OR	OFF	2005/11/18 14:04
S75	3	("4007867").URPN.	USPAT	OR	OFF	2005/11/18 14:47

S76	18	("3979822").URPN.	USPAT	OR	OFF	2005/11/18 14:53
S77	6	("3075250"   "3155856"   "3720914"   "3827141").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/18 14:54
S78	19	("3075250").URPN.	USPAT	OR	OFF	2005/11/18 15:02